

LFH-AMD-ZHR-DR TubingProduct dimensions

TECHNICAL DATA SHEET

Revision Number. 1.1 Last Edited 16. juni 2021



DIMENSIONS 2:1

SIZE, INCHES	SIZE, MM	FLATTENED WIDTH MIN (F1)	FLATTENED WIDTH MAX (F2)
3/32	2.4	4,75 (0.187)	5,63 (0.22)
1/8	3.2	6.10 (0.240)	7.23 (0.28)
3/16	4.8	8.51 (0.335)	9.65 (0.378)
1/4	6.4	11.23 (0.442)	12.67 (0.498)
3/8	9.5	16.33 (0.643)	17,87 (0.703)
1/2	12.7	21.49 (0.846)	23.54 (0.926)
3/4	19.1	31.65 (1.246)	33.91 (1.335)
1	25.4	41,85 (1.64)	44.51 (1.75)
1 ½	38.1	62.12 (2.445)	64.79 (2.550)
2	50.8	82.50 (3.248)	85.17 (3.40)
2 ½	76.2	123.13 (4.847)	127.84 (5.033)

DIMENSIONS 3:1

SIZE, INCHES	SIZE, MM	FLATTENED WIDTH MIN	FLATTENED WIDTH MAX
3/32	2.4	4,77 (0.187)	5,65 (0.222)
1/8	3.2	6.11 (0.240)	7.24 (0.285)
3/16	4.8	8.49 (0.334)	9.62 (0.378)
1/4	6.4	11.21 (0.441)	12.65 (0.498)
3/8	9.5	16.32 (0.642)	17,12 (0.674)
1/2	12.7	21.47 (0.845)	23.52 (0.925)
3/4	19.1	31.65 (1.246)	33.93 (1.335)
1	25.4	41,86 (1.64)	44.52 (1.75)
1 ½	38.1	62.12 (2.445)	64.79 (2.550)
2	50.8	82.47 (3.246)	85.14 (3.35)
2 ½	76.2	123.13 (4.847)	127.84 (5.033)

STANDARD TUBE COLOR



MATERIAL

Extruded, cross linked polyolefin.

SHRINK RATIO

2:1 & 3:1

FORMAT

Supplied as flattened continuous sleeving







TECHNICAL DATA SHEET

Revision Number. 1.1 Last Edited 16. juni 2021



DIMENSIONS 2:1

SIZE, INCHES	SIZE, MM	FLATTENED WIDTH MIN (F1)	FLATTENED WIDTH MAX (F2)
3/32	2.4	4,88 (0.192)	5,03 (0.198)
1/8	3.2	6.35 (0.250)	6.82 (0.268)
4.5/2.0	4.5	7.77 (0,305)	8,39 (0,330)
3/16	4.8	8.86 (0.348)	9.34 (0.367)
1/4	6.4	11.40 (0.448)	11.87 (0.467)
3/8	9.5	16.56 (0.659)	17,19 (0.676)
1/2	12.7	22.21 (0.874)	23.84 (0.938)
3/4	19.1	32.89 (1.294)	33.52 (1.319)
1	25.4	43,25 (1.702)	43.88 (1.727)
1 ½	38.1	63.84 (2.513)	64.63 (2.544)
2	50.8	80.82 (3.181)	84.27 (3.317)

STANDARD TUBE COLOR



MATERIAL

Extruded, cross linked polyolefin.

SHRINK RATIO

2:1

FORMAT

Supplied as flattened continuous sleeving







C3 TubingProduct dimensions

TECHNICAL DATA SHEET

Revision Number. 1.1 Last Edited 16. juni 2021



DIMENSIONS 3:1

SIZE, INCHES	SIZE, MM	FLATTENED WIDTH MIN (F1)	FLATTENED WIDTH MAX (F2)
3/32	2.4	4,43 (0.174)	4,90 (0.192)
1/8	3.2	5.84 (0.229)	6.31 (0.248)
3/16	4.8	8.35 (0.328)	8.98 (0.353)
1/4	6.4	11.05 (0.435)	11.67 (0.459)
3/8	9.5	16.54 (0.651)	17,48 (0.688)
1/2	12.7	21.31 (0.838)	22.41 (0.882)
3/4	19.05	31.30 (1.232)	33.19 (1.306)
1	25.4	41,41 (1.630)	43.76 (1.722)
1 ½	38.1	61.27 (2.412)	64.73 (2.548)

STANDARD TUBE COLOR



MATERIAL

Extruded, cross linked polyolefin.

SHRINK RATIO

3:1

FORMAT

Supplied as flattened continuous sleeving







3-1 TubingProduct dimensions

TECHNICAL DATA SHEET

Revision Number. 1.1 Last Edited 16. juni 2021



DIMENSIONS 3:1

SIZE, INCHES	SIZE, MM	FLATTENED WIDTH MIN (F1)	FLATTENED WIDTH MAX (F2)
1/8	3.0	5,17 (0.203)	5,65 (0.222)
3/16	4.8	8.01 (0.328)	8.77 (0.353)
1/4	6.0	9.69 (0.435)	10.83 (0.459)
3/8	9.0	14.64 (0.651)	16,06 (0.688)
1/2	12.0	19.44 (0.838)	21.32 (0.882)
3/4	18.0	28.78 (1.232)	31.60 (1.306)
1	24.0	38,56 (1.630)	42.33 (1.722)
1 ½	39.0	63.55 (2.412)	69.83 (2.548)

STANDARD TUBE COLOR



MATERIAL

Extruded, cross linked polyolefin.

SHRINK RATIO

3:1

FORMAT

Supplied as flattened continuous sleeving



